5. REFERENCES:

1. Vicky K, Manpreet K, Harikumar S (2013). Local drug delivery systems in the treatment of periodontitis: Pharmacophore, Vol 4(2), Pg: 39-49.
2. Wiebe C and Putnins E (2000). Proceedings of the International Workshop for the classification of periodontal diseases. Journal of Canadian Dental Association, Vol 66(11), Pg: 594-597.
3. Haffajee A and Socransky S (1986). Attachment level changes in destructive periodontal diseases. Journal of Clinical Periodontology, Vol 13, Pg: 461–472.
4. Vyas S, Sihorkar V, Mishra V (2000). Controlled and targeted drug delivery strategies towards intraperiodontal pocket diseases. Journal of Clinical Pharmacy and Therapeutics, Vol 25(1), Pg: 21–42.
5. Sudeep K, Gnanaranjan G, Preeti K (2012). Periodontal chip: an adjunct to conventional surgical treatment. International Journal of Drug Research and Technology, Vol 2(6), Pg: 411-421.
6. Van Wachem P, Van Luyn M, Nieuwenhuis P, Koerten H, Olde Damink L, Ten Hoopen H, Feijen J (1991). *In vivo* degradation of processed dermal sheep collagen evaluated with transmission electron microscopy. Biomaterials, Vol12, Pg: 215-223.
7. Salerno C, Carlucci, A, Bregni C. (2010). Study of *In Vitro* drug release and percutaneous absorption of Fluconazole from topical dosage forms. AAPS PharmSciTech, Vol11(2), Pg: 986-993.
8. Ur-Rehman T and Gröbner G. (2011). Chitosan *in situ* gelation for improved drug loading and retention in poloxamer 407 gels. International Journal of Pharmaceutics, Vol 409(1-2), Pg: 19-29.
9. Morshed K, Jain S, Mcmartin K (1994). Acute toxicity of Propylene-Glycol -an assessment using cultured proximal tubule cells of Human-Origin. Fundamental and Applied Toxicology, Vol 23(1), Pg: 38-43.
10. Choi H, Oh Y, Kim C (1998) *In situ* gelling and mucoadhesive liquid suppository containing acetaminophen: enhanced bioavailability. International journal of Pharmaceutics, Vol 165(1), Pg: 23-32.
11. Miyazaki S, Suisha F, Kawasaki N, Shirakawa M, Yamatoya K, Attwood D (1998). Thermally reversible xyloglucan gels as vehicles for rectal drug delivery. Journal of Controlled Release, Vol 56(1-3), Pg: 75-83.
12. Cho H, Balakrishnan P, Park E, Song K, Hong S, Jang T, Kim K, Chung S, Shim C, Kim D (2011). Poloxamer/cyclodextrin/chitosan-based thermoreversible gel for

intranasal delivery of fexofenadine hydrochloride. Journal of Pharmaceutical Sciences, Vol 100(2), Pg: 681-691.

13. Steinberg D, Friedman M, Soskolne, Sela M (1990). A new degradable controlled release device for treatment of periodontal disease: *In vitro* release study. Journal of Periodontology**,** Vol 61, Pg: 393-398.
14. Minabe M, Uematsu A, Nishijima K, Tomomatsu E, Tamura T, Hori T, Umemoto T, Hino T (1989). Application of a local drug delivery system to periodontal therapy, Development of collagen preparations with immobilized tetracycline. Journal of Periodontology, Vol 60, Pg: 113-117.
15. Loesche W, Giordano J, Soehren S, Hutchinson R, Rau C, Walsh L, Schork A, Arbor A, Mich D (1996). Nonsurgical treatment of patients with periodontal disease", Oral Surgery Oral Medicine Oral Pathology Endodontics, Vol 81, Pg: 533-543.
16. Paquette D, Waters G, Stefanidou V, Lawrence H, Friden P, O'Connor S, Sperati J, Oppenheim F, Hutchens L, Williams R (1997). Inhibition of experimental gingivitis in beagle dogs with topical salivary histatins. Journal of Clinical Periodontology, Vol 24, Pg: 216-222.
17. McLeod A, Tolentino L, Tozer T (1994). Glucocorticoid-dextran conjugates as potential prodrugs for colon-specific delivery: steady-state pharmacokinetics in the rat. Biopharmaceutics and Drug Disposition, Vol 15, Pg: 151-161.
18. Gary J (2008). Chlorhexidine: A Multi-Functional Antimicrobial Drug. American Dental Association, Pg: 1-11.
19. Ariyana, David S, Irma E, Dan H (2014). Formulation and *in vitro* evaluation of alginate based metronidazole periodontal gel. Asian Journal of Pharmaceutical and Clinical Research, Vol 7(1), Pg: 223-227.
20. Nicolas T, Feng C, Nicolas B, Christel N, Lucile P, Sabrina B, Elisabeth S, Hartmut F, Bernard M (2014). A chlorhexidine-loaded biodegradable cellulosic device for periodontal pockets treatment. Acta Biomaterials, Vol 10, Pg: 318-329.
21. Swaroopa A, Aparna C, Prathima S (2014). Formulation, evaluation and characterization of periodontal microemulsion gel. International Journal of Pharmaceutical Sciences and Drug Research, Vol 6(1), Pg: 20-25.
22. Kevin G, Parth J, Malay S, Ramkishan A, Jaydeep P (2013). Formulation and evaluation of periodontal *in situ* gel. International Journal of Investigation, Vol 3(1), Pg: 29-41.

23. Abolfazl A, Alireza G, Hajar N (2013). Design, Formulation and evaluation of a mucoadhesive gel from *Quercus brantii L.* And *Coriandrum sativum L.* As periodontal drug delivery. Advanced Biomedical Research, Vol 3(2), Pg: 1-9.
24. Gunjan G, Ashok K, Arun G, Aastha A, Sweta S, Nitika J, Puneet B (2013). Local drug delivery in periodontics. Dental Impact, Vol 5(2), Pg: 77-82.
25. Fouad H, Azwin A, Mahmood A (2013). Formulation and evaluation of a new biodegradable periodontal chip containing thymoquinone in a chitosan base for the managment of chronic periodontitis. Journal of Nanomaterials, Pg: 1-6.
26. Tarun K and Vishnu M (2013). International Journal of Pharmaceutical Innovations, Vol 3(2), Pg: 1-10.
27. Pratik P, Ankur J, Sheth A (2013). Formulation and evaluation of sustained release chlorhexidine *in situ* gel for periodontitis. Pharma Science Monitor, Vol 4(4), Pg: 465-478.
28. Palak V, Dhiren J, Upendra L, Ragin R (2013). Formulation and evaluation od bioadhesive gel incoporated amoxicillin trohydrate loaded microshperes for periodontal therapy. International Journal of Pharmaceutical Innovations, Vol 3(3), Pg: 98-109.
29. Tikshdeep C, Parashar B, Sonia A (2013). Design and evaluation of diclofenac sodium gel. International Journal of Pharmaceutical and Chemical Sciences, Vol 2(1), Pg: 72-81.
30. Prakash S, Dhaval P, Moinuddin S, Jayant C (2013). Development and optimization of *in situ* periodontal gel containing levofloxacin for the treatment of periodontal diseases. Journal of Scientific and Innovative Research, Vol 2(3), Pg: 608-627.
31. Lacramioara P, Mihaela V, Cristina E (2013). Periodontal chitosan gels designed for improved local intrapocket drug delivery. Farmacia, Vol 61(2), Pg: 240-250.
32. Mahendra D and Preeti K (2012). Ciprofloxacin loaded glyceryl mono-oleate periodontal gels: Formulation and *in vitro* evaluation. International Journal of Comprehensive Pharmacy, Vol 3(11), Pg: 1-4.
33. Eskandar M, Nasrin A, Akram A (2012). Formulation and charaterization of oral mucoadhesive chlorhexidine tablets using *Cordia myxa* Mucilage. Jundishapur Journal of Natural Pharmaceutical Products, Vol 7(4), Pg: 129-133.
34. Mohammed G, Nagesh D, Narayana C (2012). Design of minocycline hydrochloride microspheres as local delivery in treatment of periodontitis. International Journal of Advance Pharmaceutical and Biological Sciences, Vol 2(4), Pg: 245-249.

35. Raghavendra N, Purushothan K, Shivanand A, Rajendra R (2012). Formulation, *In vitro* characterizationand clinical evaluation of ofloxacin medicated dental gels for periodontal infrctions. International Journal of Pharmaceutical Sciences and Nanotechnology, Vol 5(3), Pg: 1814-1823.
36. Baksh A, Shaikh A, Bhargava T, Sameer S (2012). Formulation and *In vitro* evaluation of NSAID's gel. International Journal of Current Pharmaceutical Research, Vol 4(3), Pg: 56-58.
37. Katiyar A, Prajapati S, Akhtar A (2012). Formulation and evaluation of dental film for periodontitis. International Research Journal of Pharmacy, Vol 3(10), Pg: 143-148.
38. Shilpi P and Preeti K (2011). Mucoadhesive Submicrom emulsion: A novel Approach for periodontal diseases. International Journal of Current Pharmaceutical Research, Vol 3(2), Pg: 80-90.
39. Maurya P and Bakpai M (2011). Study of secindazole-serratiopeptidase Alginate/HPMC gels for periodontal delivery. International Journal of Pharmtech Research, Vol 3(3), Pg: 1488-1494.
40. Adamo F, Valentina B, Gian C (2011). Mucoadhesive gels designed for the controlled release of chlorhexidine in the oral cavity. Pharmaceutics, Vol 3, Pg: 665-679.
41. Sanjay S, Rabinarayan P, Anuj G (2011). Formulation of topical bioadhesive gel of Aceclofenac using 3-level factorial design. Iranian Journal of Pharmaceutical Research, Vol 10(3), Pg: 435-445.
42. Shiva K, Jeet S, Manvi FV (2010). Formulation, characterization and evaluation of metronidazole gel for local treatment of periodontitis. International Journal of Pharma and Biosciences, Vol 1(2), Pg: 1-9.
43. Kotchamon Y and Thawatchai P (2010). Modified starch as gel base of chlorhexidine gluconate for periodontitis treatment. Journal of Metals, Materials and Minerals, Vol 20(3), Pg: 151-157.
44. Jafar A, Majid S, Reza E, Mehdi S (2010). Development and evaluation of mucoadhesive chlorhexidine tablet formulations. Tropical Journal of Pharmaceutical Research, Vol 9(4), Pg: 321-327.
45. Vikesh S, Vasudha M, Vineet B (2010). Preparation and evaluation of periodontal gel of ornidazole using natural polymers. Der Pharmacia Lettre, Vol 2(1), Pg: 61-69.
46. Ramadan E, Borg T, Hawary Y, Saleh N (2010). Formulation and evaluation of metronidazole bioadhesive matrices for treatment of periodontitis. Bulletin of Pharmaceutical Sciences, Vol 33(1), Pg: 79-94.

47. Swati R, Sandeep W, Swaroop L (2010). *In situ* gel formulation of ornidazole for the treatment of periodontal disease. Current Pharma Research, Vol 1(1), Pg: 60-69.
48. Shivanand P, Manish G, Viral D (2009). Development, *in vitro* evaluation and physical characterization of medicated chewing gums: Chlorhexidine Gluconate. Der Pharmacia Lettre, Vol 1(2), Pg: 286-292.
49. Yael S, Itzhak B, Hila B, Israela B, Meital Z (2009). Metronidazole-loaded bioabsorable films as loacl antibacterical treatment of infected periodontal pockets. Journal of Periodontology, Vol 80(2), Pg: 330-337.
50. Jeon H, Mi Y, Dae K, Mi J, Young I, Tae Y, Kyu H, Sang C (2007). Preparation and evaluation of ketorolac tromethamine gel containing Genipin for periodontal diseases. Archives of Pharmacal Research, Vol 30(7), Pg: 871-875.
51. Isaac C, Jason P, Maria E, Ruben D, Caroline B, Patrice H, Robert L, Prasad S (2004). A novel polymeric chlorhexidine delivery device for the treatmetn of periodontal disease. Biomaterials, Vol 25, Pg: 3743-3750.
52. Perugini P, Genta I, Conti B, Modena T, Pavanetto F (2003). Periodontal delivery of ipriflavone: new chitosan/PLGA film delivery system for a lipophilic drug. International Journal of Pharmaceutics, Vol 252, Pg: 1-9.
53. Philippe G, Laurent V, Jacques D, Alain D (2002). Study of a chitin- based gel as injectable material in periodontal surgery. Biomaterilas, Vol 23, Pg: 1295-1302.
54. Senel S, Ikinci G, Kas S, Yousefi R, Sargon M, Hincal A (2000). Chitosan films and hydrogels of chlorohexidine gluconate for oral mucosal delivery. International Journal of Pharmaceutics, Vol 193, Pg: 197-203.
55. Natalie J, Ian G, Michael J, Doug W, David S (1996). Chlorhexidine release from poly(ε-caprolactone) films prepared by solvent evaporation. International Journal of Pharmaceutics, Vol 143, Pg: 25-35.
56. Ian G and Frederick C (1995). *In vitro* assessment of bioadhesion for periodontal and buccal drug delivery. Biomaterials, Vol 16, Pg: 617-624.
57. Roskos K, Fritzinger B, Rao S, Armitage G, Heller J (1995). Development of a drug delivery system for the treatment of periodontal disease based on bioerodible poly(orthoesters). Biomaterials, Vol 16, Pg: 313-317.